



Agilestar Available Product List

3Com

3CGBIC91	3Com 1000 Base-SX GBIC
3CGBIC92	3Com 1000 Base-LX GBIC
3CGBIC93	3COM 1000BASE-T GBIC
3CGBIC97	3Com 1000 Base LH70 GBIC
3CSFP81	100BASE-FX, Multi-mode, LC Connector
3CSFP82	100BASE-LX10, Single-mode, LC Connector
3CSFP85	100BASE-BX10-D, Single-mode, Single-strand, LC Connector
3CSFP86	100BASE-BX10-U, Single-mode, Single-strand, LC Connector
3CSFP91	3COM 1000BASE-SX SFP Transceiver
3CSFP92	3COM 1000BASE-LX SFP Transceiver
3CSFP93	3COM 1000BASE-T SFP Transceiver, RJ-45 Connector
3CSFP97	1000BASE-LX mini-GBIC optic, SMF, LC connector, 70km
3CSFP9-81	100BASE-FX, Multi-mode, LC Connector
3CSFP9-82	100BASE-LX10, Single-mode, LC Connector, Up to 10km
3CXENPAK91	10GBASE-LX4 connection, Multi-mode fiber up to 300 meters
3CXENPAK92	10GBASE-LR connection, Single-mode fiber up to 10km
3CXENPAK94	10GBASE-SR connection, Multi-mode fiber up to 300 meters



Agilestar Available Product List

3CXENPAK95	10GBASE-CX4 (copper) connection, Local 10G Ethernet connections between 1m and 15m
3CXENPAK96	10GBASE-ER, Single-mode fiber up to 40 kilometers, SC connector
3CXFP92	10GBASE-LR XFP transceiver
3CXFP94	10GBASE-SR connection, link length of up to 300 meters
3CXFP95	10GBASE-CX4 connection
3CXFP96	10GBASE-ER, Single-mode fiber, LC connector

Adtran Communications

1184544P2	OC-12 Small Form-Factor Pluggable, Single-Mode, 1310nm
1200480L1	1000Base-SX SFP, Up to 500 meters, Multi-mode fiber, 850nm laser
1200481L1	1000Base-LX SFP, Multi-mode or Single-mode fiber Ethernet

Agilent / Avago

AFBR-5601Z	1000 Base-SX, 1.25 GBd GBIC Transceiver for Gigabit Ethernet
AFBR-5701LZ	1.063/1.25 GBd MMF Transceiver for FC and GbE, SFP
AFBR-5710LZ	1.25 GBd MMF Transceiver for Gigabit Ethernet, SFP



Agilestar Available Product List

AFBR-5710PZ	1000BaseSX 1.25 GBd MMF Transceiver for Gigabit Ethernet, SFP
AFCT-5611Z	1.25 GBd GBIC Transceiver for Gigabit Ethernet
AFCT-5701LZ	1.063/1.25 GBd SMF Transceiver for FC and GbE, SFP
AFCT-5710LZ	1000Base-LX 1.25 GBd SMF Transceiver for Gigabit Ethernet, SFP
HFBR-5701L	1.25/1.0625 GBd MMF Pluggable (SFP) Transceiver for GbE and Fibre Channel
HFBR-5710L	1.25 GBd MMF Small Form Factor Pluggable (SFP) Transceiver for Gigabit Ethernet
HFBR-5710LP	850nm Transceiver
HFBR-5720ALP	850nm Transceiver
HFCT-5611U	1.25 Gbd SMF GBIC Transceiver for Extended Link Lengths (80km)
HFCT-721XPD	10GbE XFP Fiber Optic Transceiver, 10km, 1300nm
QFBR 5791AP	850nm SFP Transceiver
AFBR-5205APZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Mezz Ht, Ext Temp (-40C to +85C)
AFBR-5205ATZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40C to +85C)
AFBR-5205AZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40C to +85C)
AFBR-5205PEZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Mezz Height with Ext Shield
AFBR-5205PZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Mezzanine Height
AFBR-5205TZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9
AFBR-5205Z	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9



Agilestar Available Product List

AFBR-5805ATZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-10C to +85C)
AFBR-5805AZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-10C to +85C)
AFBR-5805TZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9,
AFBR-5805Z	155 MBd MMF Transceiver for ATM/SONET OC-3, 1x9
AFBR-5905AZ	155 MBd MMF Transceiver for ATM/SONET OC-3, 2x5, Ext Temp (-40C to +85C)
AFBR-5905Z	155 MBd MMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5750LZ	622 MBd SMF Transceiver for ATM/SONET OC-12, SFP
AFCT-5750PZ	622 MBd SMF Transceiver for ATM/SONET OC-12, SFP
AFCT-5760ALZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760ANLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760ANPZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760APZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760ATLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760ATPZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760LZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760NLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760NPZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760PZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP
AFCT-5760TLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, SFP



Agilestar Available Product List

AFCT-5765ALZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765ANLZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765ANPZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765APZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765ATLZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765ATPZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765LZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765NLZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765NPZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765PZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765TLZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5765TPZ	155 MBd SMF Transceiver with DMI for ATM/SONET OC-3, SFP
AFCT-5805AZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40C to +85C)
AFCT-5805BZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9
AFCT-5805CZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40C to +85C)
AFCT-5805DZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9
AFCT-5815AZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40 to +85C)
AFCT-5815BZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9
AFCT-5815CZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9, Ext Temp (-40 to +85C)



Agilestar Available Product List

AFCT-5815DZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 1x9
AFCT-5961ATGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5961ATLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5961NGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5961NLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5961TGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5961TLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5962ATGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5962ATLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5962NGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5962NLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5962TGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5962TLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5963ATGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5963ATLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5963NGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5963NLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5963TGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5
AFCT-5963TLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x5



Agilestar Available Product List

AFCT-5964ATGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5964ATLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5964NGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5964NLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5964TGZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
AFCT-5964TLZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x10
HFBR-57E0AL	125/155 MBd Multi Mode SFP Transceiver with Tx-Disable feature
HFBR-57E0ALZ	125/155 MBd SFP Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, Tx-Disable
HFBR-57E0AP	125/155 MBd Multi Mode SFP Transceiver with Tx-Disable feature
HFBR-57E0APZ	125/155 MBd SFP Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, Tx-Disable
HFBR-57E0L	125/155 MBd Multi Mode SFP Transceiver with Tx-Disable feature
HFBR-57E0LZ	125/155 MBd SFP Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, Tx-Disable
HFBR-57E0P	125/155 MBd Multi Mode SFP Transceiver with Tx-Disable feature
HFBR-57E0PZ	125/155 MBd SFP Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, Tx-Disable
HFBR-57M5AP	850nm Transceiver
HFBR-5961AL	125/155 Mb/s Multi Mode SFF Transceiver with LC connector, -40C to +85C
HFBR-5961ALZ	125/155 MBd MMF Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, 2x5, Ext Temp (-40 to +85C)
HFBR-5961L	125/155 Mb/s Multi Mode SFF Transceiver with LC connector, 0C to +70C
HFBR-5961LZ	125/155 MBd MMF Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, 2x5



Agilestar Available Product List

HFBR-5963AL	125/155 Mb/s Multi Mode SFF Transceiver with LC connector, -40C to +85C
HFBR-5963ALZ	125/155 MBd MMF Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, 2x5, Ext Temp (-40 to +85C)
HFBR-5963L	125/155 Mb/s Multi Mode SFF Transceiver with LC connector, 0C to +70C
HFBR-5963LZ	125/155 MBd MMF Transceiver for Fast Ethernet/ATM/FDDI and SONET OC-3, 2x5
HFCT-5760ANL	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760ANP	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760ATL	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760ATP	155Mb/s Single mode SFP Transceiver with LC connector
HFCT-5760NL	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760NP	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760TL	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5760TP	155Mb/s Single mode SFP Transceivers with LC connector
HFCT-5801A	155 Mb/s SMF (15km) 2x9 3.3V Transceiver for ATM, SONET OC-3 -40C to +85C
HFCT-5801AZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x9, Ext Temp (-40 to +85C)
HFCT-5801B	155 Mb/s SMF (15km) 2x9 3.3V Transceiver for ATM, SONET OC-3 0C to +70C
HFCT-5801BZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x9
HFCT-5801C	155 Mb/s SMF (15km) 2x9 3.3V Transceiver for ATM, SONET OC-3 -40C to +85C
HFCT-5801CZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x9, Ext Temp (-40 to +85C)
HFCT-5801D	155 Mb/s SMF (15km) 2x9 3.3V Transceiver for ATM, SONET OC-3 0C to +70C



Agilestar Available Product List

HFCT-5801DZ	155 MBd SMF Transceiver for ATM/SONET OC-3, 2x9
HFCT-5953ATGZ	155 to 622 MBd SMF Multirate Transceiver without EMI for ATM/SONET OC-12, 2x5
HFCT-5953ATLZ	155 to 622 MBd SMF Multirate Transceiver with EMI for ATM/SONET OC-12, 2x5
HFCT-5953TGZ	155 to 622 MBd SMF Multirate Transceiver without EMI for ATM/SONET OC-12, 2x5
HFCT-5953TLZ	155 to 622 MBd SMF Multirate Transceiver with EMI for ATM/SONET OC-12, 2x5
HFCT-5954ATGZ	155 to 622 MBd SMF Multirate Transceiver without EMI for ATM/SONET OC-12, 2x10
HFCT-5954ATLZ	155 to 622 MBd SMF Multirate Transceiver with EMI for ATM/SONET OC-12, 2x10
HFCT-5954TGZ	155 to 622 MBd SMF Multirate Transceiver without EMI for ATM/SONET OC-12, 2x10
HFCT-5954TLZ	155 to 622 MBd SMF Multirate Transceiver with EMI for ATM/SONET OC-12, 2x10

Alcatel / Lucent

300912540	1000 Base-T Copper SFP Transceiver
300912557	1000-Base-SX MMF SFP Transceiver
300912979	1000-Base-LX/LH SMF SFP Transceiver
GBIC-C	1000Base-TX GBIC for OmniSwitch 7000
GBIC-LH-70	OmniSwitch 7000 1000BLH GBIC
GBIC-LX	1000BaseLX GBIC for single mode fiber - SC connector
GBIC-SX	1000Base-SX GBIC



Agilestar Available Product List

MINIGBIC-LH-70	ALCATEL Compatible 1000 BASE LH XCVR
MiniGBIC-LX	1000BaseLX Mini-GBIC (SFP MSA) for single mode fiber - LC connector
MiniGBIC-SX	1000BaseSX Mini-GBIC (SFP MSA) for multi-mode fiber - LC connector
OAG-SFP-GIG-LX	1000Base-LX transceiver, SFP MSA, supports single mode fiber
OAG-SFP-GIG-SX	SFP MSA, supports multi mode fiber
OAG-SFP-GIG-T	SFP MSA
OAW-GBIC-LX	1000Base-LX GBIC transceiver
OAW-GBIC-SX	1000Base-SX GBIC transceiver
OAW-GBIC-T	1000BaseTx GBIC transceiver
OC12-SFP-IR	OC-12 ATM transceiver - IR, ATM-622Mbps SFP, single mode fiber up to 10km
OC12-SFP-LR1	OC-12 ATM transceiver - LR, ATM-622Mbps SFP, single mode fiber up to 40km
OC12-SFP-SR	OC-12 ATM transceiver - SR, ATM-622Mbps SFP, multi mode fiber up to 500m
OC3-SFP-IR	OC-3 ATM transceiver - IR, ATM-155Mbps SFP, single mode fiber up to 10km
OC-5000-1109	1000Base-SX GBIC MM GBIC
OC-5000-1110	1000Base-LX GBIC SM 1310nm GBIC
OC-5000-1111	1000Base-LH GBIC SM GBIC
SFP-100-BX20LT	100BaseFX Bi-directional transceiver, Single mode, up to 20km, tx-1550nm, rx-1310nm
SFP-100-BX20NU	100BaseFX Bi-directional transceiver, Single mode, up to 20km, tx-1310nm, rx-1550nm
SFP-100-LC-MM	100BaseFX transceiver, Multi mode fiber, up to 500m, LC connector



Agilestar Available Product List

SFP-100-LC-SM15	100BaseFX transceiver, Single mode fiber, up to 15km, LC connector
SFP-100-LC-SM40	100BaseFX transceiver, Single mode, up to 40km, LC connector
SFP-DUAL-MM	Multi mode SFP, 100Base-FX or 1000Base-LX Dual Speed transceiver
SFP-DUAL-SM10	Single mode SFP, 100Base-FX or 1000Base-LX Dual Speed transceiver
SFP-GIG-47CWD60	CWDM transceiver - 1470nm, Single mode fiber over 1470nm wavelength, LC connector
SFP-GIG-49CWD60	CWDM transceiver - 1490nm, Single mode fiber over 1490nm wavelength, LC connector
SFP-GIG-51CWD60	CWDM transceiver - 1510nm, Single mode fiber over 1510nm wavelength, LC connector
SFP-GIG-53CWD60	CWDM transceiver - 1530nm, Single mode fiber over 1530nm wavelength, LC connector
SFP-GIG-55CWD60	CWDM transceiver - 1550nm, Single mode fiber over 1550nm wavelength, LC connector
SFP-GIG-57CWD60	CWDM transceiver - 1570nm, Single mode fiber over 1570nm wavelength, LC connector
SFP-GIG-59CWD60	CWDM transceiver - 1590nm, Single mode fiber over 1590nm wavelength, LC connector
SFP-GIG-61CWD60	CWDM transceiver - 1610nm, Single mode fiber over 1610nm wavelength, LC connector
SFP-GIG-EXTND	1000Base-SX extended transceiver, Multi mode over 850nm wavelength, up to 2km
SFP-GIG-LH40	1000Base-LH Transceiver, Single mode over 1310nm wavelength, up to 40km
SFP-GIG-LH70	1000Base-LH transceiver, Single mode over 1550nm wavelength, up to 70km
SFP-GIG-LX	Single mode over 1310nm wavelength, up to 10km 1000Base-LX transceiver
SFP-GIG-SX	Multi mode over 850nm wavelength, up to 300m 1000Base-SX transceiver
SFP-GIG-T	1000Base-T transceiver, Gigabit copper SFP, supports Cat 5, 5E, 6 cables, up to 100m
XFP-10GE-ER40	10GE ER optical transceiver, Single mode fiber XFP up to 40km



Agilestar Available Product List

XFP-10GE-LR	10GE LR optical transceiver, Single mode fiber XFP up to 10km
XFP-10GE-SR	10GE SR optical transceiver, Multi mode fiber XFP up to 300m

Allied Telesyn

AT-G8BD-13	40km, 1000LX, 9 Micron SMF (TX=1310nm, RX=1490nm)
AT-G8BD-14	40km, 1000LX, 9 Micron SMF (TX=1490nm, RX=1310nm)
AT-G8LX10	10km 1000LX Gbic, 9 Micron SMF (1310nm)
AT-G8LX25	25km 1000LX Gbic, 9 Micron SMF (1310nm)
AT-G8LX40	40km 1000LX GBIC, 9 Micron SMF (1550nm)
AT-G8LX70	70km LX GBIC, 9 Micron SMF (1550nm)
AT-G8SX-01	1 Gbps, 500m 1000SX Gbic, 50 Micron MMF (850nm)
AT-G8T	100m 1000T (RJ-45) Gbic, 1 Gbps
AT-G8ZX70/1470	70km ZX Gbic, 9 Micron SMF (1470nm)
AT-G8ZX70/1490	70km ZX Gbic, 9 Micron SMF (1490nm)
AT-G8ZX70/1510	70km ZX Gbic, 9 Micron SMF (1510nm)
AT-G8ZX70/1530	70km ZX Gbic, 9 Micron SMF (1530nm)
AT-G8ZX70/1550	70km ZX Gbic, 9 Micron SMF (1550nm)
AT-G8ZX70/1570	70km ZX Gbic, 9 Micron SMF (1570nm)



Agilestar Available Product List

AT-G8ZX70/1590	70km ZX Gbic, 9 Micron SMF (1590nm)
AT-G8ZX70/1610	70km ZX Gbic, 9 Micron SMF (1610nm)
AT-SP2670IR	15km SFP, 9 Micron SMF, (1310nm), Multi-rate
AT-SP2670SR	2km SFP, 9 Micron SNF (1310nm), Multi-rate
AT-SPBD10-13	1000LX single mode BiDi SFP (1310 Tx, 1490 Rx) 10 km
AT-SPBD10-14	1000LX single mode BiDi SFP (1490 Tx, 1310 Rx) 10 km
AT-SPFX15	15km, 100FX (LC), 1310nm
AT-SPFX2	2km, 100FX (LC), 1310nm
AT-SPFX40	40km, 100FX (LC), 1310nm
AT-SPFXBD-LC-13	100FX (LC) single mode BiDi SFP (1310 TX, 1550 Rx), 10km
AT-SPFXBD-LC-15	100FX (LC) single mode BiDi SFP (1550 TX, 1310 Rx), 10km
AT-SPLX10	1000LX SFP(1310nm) 10km based on 9 micron single-mode fiber
AT-SPLX40	40KM 1000LX SFP
AT-SPLX40/1550	40km 1000LX SFP, 9 Micron SMF (1550nm)
AT-SPSX	SX-SFP 500m based on 50 micron multi-mode fiber, 300m based on 62.5 micron multi-mode fiber
AT-SPTX	100m 10/100/1000T (RJ-45) SFP
AT-SPZX80	80km based on 9 micron single-mode fiber (ZX-SFP)
AT-SPZX80/1470	80km based on 9 micron single-mode fiber (1470nm wavelength)(CWDM-SFP)
AT-SPZX80/1490	80km based on 9 micron single-mode fiber (1490nm wavelength)(CWDM-SFP)



Agilestar Available Product List

AT-SPZX80/1510	80km based on 9 micron single-mode fiber (1510nm wavelength)(CWDM-SFP)
AT-SPZX80/1530	80km based on 9 micron single-mode fiber (1530nm wavelength)(CWDM-SFP)
AT-SPZX80/1550	80km based on 9 micron single-mode fiber (1550nm wavelength)(CWDM-SFP)
AT-SPZX80/1570	80km based on 9 micron single-mode fiber (1570nm wavelength)(CWDM-SFP)
AT-SPZX80/1590	80km based on 9 micron single-mode fiber (1590nm wavelength)(CWDM-SFP)
AT-SPZX80/1610	80km based on 9 micron single-mode fiber (1610nm wavelength)(CWDM-SFP)
AT-XPER40	10Gbps XFP, 40km
AT-XPER80	10Gbps XFP, 80km
AT-XPLR	10Gbps XFP, 10km
AT-XPSR	10Gbps XFP, 300m

Allnet

ALL4760	Up to 550 meters/1804 feet, 1 x 1000 Mbps Gigabit Ethernet, Duplex SC connector 850 nm
ALL4750	Up to 550 meters/1804 feet, Duplex LC connector 850 nm

Asante

GBIC 1000LH	Up to 40 Km/24.9 mi, Duplex SC connector 1310 nm
-------------	--



Agilestar Available Product List

GBIC 1000LX	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
GBIC 1000SX	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
GBIC 1000T	Up to 100 meters/328 feet, RJ-45 Connector
SFP M1000LX	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
SFP M1000LZ	Up to 80 Km/49.7 mi, Duplex LC connector 1310 nm
SFP M1000SX	Up to 550 meters/1804 feet, Duplex LC connector 850 nm

Avaya

108659210	X330 1000Base-LX SMF GBIC 4705-121
108659228	X330 1000Base-SX MMF GBIC 4705-121
108873241	SFP GBIC SX Transceiver, Multimode Fiber 1000BASE-SX , 550m
108873258	SFP GBIC LX Transceiver, Single-mode Fiber 1000BASE-LX, 10km
700013121	1000Base-SX GBIC Transceiver (850nm) GBIC
700013139	1000Base-LX GBIC Transceiver (1300nm) GBIC
700013147	X330 1000Base-LX SMF GBIC 4589-810
M8001-1000ELX	80-Series 1000Base-ELX GBIC 1550nm, 70km (SMF)
M8001-1000LX	80-Series 1000Base-LX GBIC 1300nm (MMF/SMF)
M8001-1000SX	80-Series 1000Base-SX GBIC 850nm (MMF)



Agilestar Available Product List

Brocade

200E-XBR-000075	1/2G SFP SWL Digital Diagnostic SW/GE (1pk)
200E-XBR-000076	1/2G SFP SWL Digital Diagnostic SW/GE (4pk)
200E-XBR-000077	1/2G SFP LWL Digital Diagnostic SW/GE (1pk)
200E-XBR-000081	FRU, SFP, SWL, Digital Diagnostics, 1-PK
200E-XBR-000082	FRU, SFP, SWL, Digital Diagnostics, 4-PK
200E-XBR-000083	FRU, SFP,LWL, Digital Diagnostics, 1-PK
200E-XBR-000097	1/2/4G SFP, SWL w/Digital Diagnostics (1 Pack)
200E-XBR-000098	1/2/4G SFP, SWL w/Digital Diagnostics (4 Pack)
200E-XBR-000240	FRU, SFP, 4G, 4KM LWL, 1-PK
200E-XBR-000250	FRU,SFP,4G,10 KM LWL,1-PK
XBR-000011	Single GBIC Longwave Dual SC LX GBIC
XBR-000025	Single SX GBIC Shortwave Dual SC
XBR-000075	1 PACK FRU STANDARD SWL SX SFP
XBR-000076	XBR-000076 4PK FRU STD SWL SX SFP
XBR-000077	1/2G SFP LWL Diag w/GE
XBR-000097	1/2/4G SFP, SWL w/Dig. Diag. (1 Pk)



Agilestar Available Product List

Cisco

GLC-FE-100LX	100BASE-FX SFP module for 100-Mb ports, 1310 nm wavelength, 10 km over SMF
GLC-LH-SM	SFP GBIC (1000BASE-LH/LX) SingleMode, Up to 10km
GLC-SX-MM	1000BASE-SX, SFP, up to 550 meters
GLC-ZX-SM	1000BASE-ZX SFP, up to 100km
15327-SFP-LC-LX	1000 Base LX LC, SFP
15327-SFP-LC-SX	1000 Base SX LC, SFP
15454-SFP-200	SFP-ESCON - 1310 nm - MM - LC (p/n 10-1750-01)
15454-SFP-GEFC-SX	SFP - GE/1G-FC/2G-FC - 850nm - MM - LC (p/n 10-1833-02)
15454-SFP-LC-LX	1000 Base LX LC, SFP
15454-SFP-LC-SX	1000 Base SX LC, SFP
DS-SFP-2G-FC-LW	2GB LW SFP
DS-SFP-2G-FC-SW	2GB SW SFP
DS-SFP-4G-SW-4	1/2/4-Gbps Fibre Channel-Shortwave, SFP, LC, 4 pack
DS-SFP-FC4G-LW	1/2/4-Gbps Fibre Channel-Longwave 10-km, SFP, LC
DS-SFP-FC4G-MR	1/2/4-Gbps Fibre Channel-Longwave 4-km, SFP, LC
DS-SFP-FC4G-SW	1/2/4-Gbps Fibre Channel-Shortwave, SFP, LC
GLC-BX-D-10KM	1000BASE-BX10-D downstream bidirectional Tx1550nm/Rx1310nm
GLC-BX-D-40KM	1000BASE-BX40-D downstream bidirectional Tx1550nm/Rx1310nm



Agilestar Available Product List

GLC-BX-D-80KM	1000BASE-BX80-D downstream bidirectional Tx1550nm/Rx1310nm
GLC-BX-U-10KM	1000BASE-BX10-U upstream bidirectional Tx1310nm/Rx1550nm
GLC-BX-U-40KM	1000BASE-BX40-U upstream bidirectional Tx1310nm/Rx1550nm
GLC-BX-U-80KM	1000BASE-BX80-U upstream bidirectional Tx1310nm/Rx1550nm
GLC-FE-100BX-U	100BASE-BX10-U SFP, 1310 nm TX/1550 nm RX wavelength, 10 km over single-strand SMF
GLC-FE-100FX	100BASE-FX SFP module for 100-Mb ports, 1310 nm wavelength, 550m over MMF
GLC-FE-100ZX	100BASE-ZX SFP, single-mode fiber, up to 80 kilometers
GLC-GE-100FX	100BASE-FX SFP Fast Ethernet Interface Converter - 1 x 100Base-FX - SFP
SFP-FCGE-L	1310 nm, 7.5 dB (multimode fiber), 8 dB (single mode)
SFP-GE-S	850 nm, LC connector
SFP-GE-Z	1000BASE-ZX, 1550 nm
SFP-OC12-IR1	OC-12/STM-4 pluggable intermediate-reach (15 km) transceiver module, 1310-nm
SFP-OC12-LR1	OC-12/STM-4 pluggable long-reach (40 km) transceiver module, 1310-nm
SFP-OC12-LR2	OC-12/STM-4 pluggable long-reach (80 km) transceiver module, 1550-nm
SFP-OC12-MM	OC-12/STM-4 pluggable short-reach (2 km) transceiver module, 1310-nm
SFP-OC12-SR	OC-12/STM-4 pluggable short-reach (2 km) transceiver module, 1310-nm
SFP-OC3-IR1	OC-3/STM-1 pluggable intermediate-reach (15 km) transceiver module, 1310-nm
SFP-OC3-LR1	OC-3/STM-1 pluggable long-reach (40 km) transceiver module, 1310-nm
SFP-OC3-LR2	OC-3/STM-1 pluggable long-reach (80 km) transceiver module, 1550-nm



Agilestar Available Product List

SFP-OC3-MM	OC-3/STM-1 pluggable short-reach (2 km) transceiver module, 1310-nm
SFP-OC3-SR	OC-3/STM-1 pluggable short-reach (2 km) transceiver module, 1310-nm
SFP-OC48-IR1	OC-48c/STM-16 pluggable intermediate-reach (15 km) transceiver module, 1310-nm
SFP-OC48-LR2	OC-48c/STM-16 pluggable long-reach (80 km) transceiver module, 1550-nm
SFP-OC48-SR	OC-48c/STM-16 pluggable short-reach (2 km) transceiver module, 1310-nm
GLC-FE-100EX	100BASE-EX for Fast Ethernet SFP Ports, 1310nm, up to 40 kilometers
10720-GE-SFP-LH	GE SFP - Intermediate Reach 10KM
10720-GE-SFP-SX	GE SFP - Short Reach 550M
CWDM-SFP-1470	CWDM 1470 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1490	CWDM 1490 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1510	CWDM 1510 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1530	CWDM 1530 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1550	CWDM 1550 NM SFP Gigabit Ethernet and 1G/2G FC
CWDM-SFP-1570	CWDM 1570 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1590	CWDM 1590 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-SFP-1610	CWDM 1610 NM SFP Gigabit Ethernet and 1G/2G Fibre Channel
DS-CWDM-1470	1470 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1490	1490 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1510	1510 nm CWDM 1/2-Gbps Fibre Channel SFP



Agilestar Available Product List

DS-CWDM-1530	1530 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1550	1550 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1570	1570 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1590	1590 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM-1610	1610 nm CWDM 1/2-Gbps Fibre Channel SFP
DS-CWDM4G1470	1470 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1490	1490 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1510	1510 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1530	1530 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1550	1550 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1570	1570 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1590	1590 nm CWDM 1/2/4-Gbps Fibre Channel SFP
DS-CWDM4G1610	1610 nm CWDM 1/2/4-Gbps Fibre Channel SFP
SFP-10G-SR	10GBASE-SR SFP+ Module for Multi-mode fiber (MMF)
SFP-10G-LR	10GBASE-LR SFP+ Module for Single-mode fiber (SMF)
GLC-T	GLC-T 1000BASE-T SFP, up to 100m
ONS-SE-ZE-EL	SFP - 10/100/1000 Ethernet BaseT Multirate Copper RJ-45
SFP-GE-T	1000BASE-T SFP operates on standard Category 5 wiring of up to 100m link length
15454-GBIC-SX	1000BASE-SX GBIC



Agilestar Available Product List

WS-G5484	1000BASE-SX GBIC, up to 550 meters
WS-G5486	1000BASE-LX/LH GBIC, up to 10 kilometers
15454-GBIC-LX	1000BASE-LX GBIC
15454-GBIC-ZX	1000BASE-ZX GBIC
C6400-GBIC-LHLX	1000Base-LHLX GBIC SM
C6400-GBIC-SX	1000Base-SX GBIC MM
C6400-GBIC-ZX	1000Base-ZX GBIC SM
WS-G5487	1000BASE-ZX GBIC, up to 70km
CWDM-GBIC-1470	CWDM 1470 NM GBIC Gigabit Ethernet and 1G/2G Fibre Channel
CWDM-GBIC-1490	1000BASE-CWDM GBIC 1490 nm
CWDM-GBIC-1510	1000BASE-CWDM GBIC 1510 nm
CWDM-GBIC-1530	1000BASE-CWDM GBIC 1530 nm
CWDM-GBIC-1550	CWDM-GBIC-1550
CWDM-GBIC-1570	1000BASE-CWDM GBIC 1570 nm
CWDM-GBIC-1590	1000BASE-CWDM GBIC 1590 nm
CWDM-GBIC-1610	1000BASE-CWDM GBIC 1610 nm
WS-G5483	1000BASE-TX GBIC, up to 100 meters
WDM-XENPAK-REC	10GBASE-WDM receive-only XENPAK
XENPAK-10GB-ER	10GBASE-ER XENPAK, 1550-nm, SC Duplex Connector



Agilestar Available Product List

XENPAK-10GB-LR	10GBASE-LR XENPAK, 1310-nm, SC duplex connector
XENPAK-10GB-LRM	10GBASE-LRM XENPAK module for MMF, 1310-nm wavelength, SC duplex connector
XENPAK-10GB-LW	10GBASE-LW XENPAK module for SMF, 1310-nm wavelength, SC duplex connector
XENPAK-10GB-SR	10GBASE-SR XENPAK, 850-nm, SC Duplex Connector, Transmission up to 300 Meters
XENPAK-10GB-ZR	10GBASE-ZR XENPAK, 1550nm, SC Duplex Connector
XENPAK-10GB-LR+	10GBASE-LR XENPAK Module for SMF
XENPAK-10GB-ER+	10GBASE-ER XENPAK Module for SMF
CRS-XENPAK10GB-LR	10GBASE-LR XENPAK Module for SMF for the CRS-1
XFP-10G-MM-SR	10GBASE-SR XFP Module for MMF
DS-X2-FC10G-CX4	10-Gbps Fibre Channel-Copper Transceiver, X2, CX4
DS-X2-FC10G-ER	10-Gbps Fibre Channel-Extended-reach, X2, SC
DS-X2-FC10G-LR	10-Gbps Fibre Channel-Long-reach, X2, SC
DS-X2-FC10G-SR	10-Gbps Fibre Channel-Short-reach, X2, SC
X2-10GB-CX4	10GBASE-CX4 X2, CX4 (copper) Cable Type - Transmission up to 15 Meters
X2-10GB-ER	10GBASE-ER X2, 1550-nm, SC Single Mode, up to 40km
X2-10GB-LR	10GBASE-LR X2, 1310-nm, SC Duplex Connector, up to 10km
X2-10GB-ZR	10GBASE-ZR X2 Module for SMF



Agilestar Available Product List

Compaq

221470-B21	2.5G Small Form Factor LX GBIC
212192-002	2GB 850mm FC SFF Hot-Plug Optical Transceiver Module SX GBIC

D-Link

DEM-310GM2	1310nm multimode GBIC, up to 2km, not for use with SX GBICs
DEM-310GT	1310nm multimode/Singlemode SFP, up to 10km
DEM-311GT	850nm multimode, up to 550m
DEM-312GT2	1310nm multimode SFP, up to 2km
DEM-314GT	1310nm singlemode SFP, up to 50km
DEM-315GT	1550nm singlemode SFP, up to 80km
DEM-421XT	850nm Multi-Mode XFP, up to 300 meters
DEM-422XT	1310nm Single-Mode XFP, up to 10km
DGS-701	850nm multimode GBIC, up to 550 meters
DGS-702	1310nm multimode/singlemode, up to 10km
DGS-703	1310nm multimode/singlemode GBIC, up to 10km
DGS-704	1310nm multimode/singlemode GBIC, up to 30km
DGS-705	1000BASE-LX GBIC Gigabit Ethernet Module 5.0V (10Km)



Agilestar Available Product List

DGS-706	1310nm multimode/singlemode GBIC, 30km
DGS-707	850nm multimode GBIC, up to 550 meters
DGS-708	1550nm singlemode GBIC, up to 80km
DGS-711	1000BASE-T GBIC, up to 100 meters

Enterasys

10GBASE-LR-XFP	10GBASE-LR
10GBASE-SR-XFP	XFP 10-Gigabit Ethernet interface module
GPIM-01	1000Base-SX GBIC
GPIM-02	1000Base-TX GETH RJ45
GPIM-04	1000Base-CX GBIC
GPIM-08	1000Base-LX GBIC (70km)
GPIM-09	1000Base-LX GBIC (10km)
GPIM-02-C	1000BASE-T Gigabit Interface Module
MGBIC-08	1000Base-LX/LH (70Km Long Haul) SMF port via LC connector
MGBIC-LC01	1000Base-SX Mini GBIC LC
MGBIC-LC02	1000 Base-TX Mini GBIC
MGBIC-LC03	1000Base-LX - 1310 nm



Agilestar Available Product List

MGBIC-LC09	1000Base-LX Mini GBIC LC
MGBIC-MT01	1000Base-SX MTRJ Mini GBIC

Extreme Networks

10011	SX GBIC Module (275m)
10013	LX GBIC Module (10km)
10016	70Km 1550nm LX GBIC
10017	ZX GBIC Module (70km)
10018	1000BASE-T GBIC-based transceiver, RJ-45 connector, up to 80 meters
10019	LX100 Gigabit Ethernet GBIC
10050	1000Base-TX SFP
10051	SX SFP, up to 275 meters
10052	LX Mini-GBIC (10km)
10053	SFP SMF 70 Km/21 dB budget, ZX
10056	SFP, 1000BASE-BX-U, SMF (1490 nm TX/1310 nm RX Wavelength)
10057	1000BASE-BX-D, SMF (1310 nm TX/1490 nm RX Wavelength)
10060	Dual-speed 100 FX/1000LX, LC Connector
10064	SFP, extra long distance SMF 100 km/30 dB budget, LC connector



Agilestar Available Product List

10063	SFP 100FX 2km transmission with MMF LC connector
10110	SR XENPAK 10 Gigabit Ethernet XENPAK
10111	1310 nm, up to 10 km on single-mode fiber, SC connector
10112	1550 nm, up to 40 km on single-mode fiber, SC connector
10113	1550 nm, up to 80 km on single-mode fiber, SC connector
10114	1310 nm, up to 300 m on Multi-mode Fiber and up to 10 km on a Single-mode Fiber, SC Connector
10121	10GBASE-SR XFP, SC Connector
10122	10GBASE-LR XFP, SC Connector
10124	10GBASE-ER XFP, LC Connector, transmission length of up to 40 km on SMF
10125	10GBASE-ZR XFP, LC Connector, transmission length of up to 80 km on SMF

Finisar

FCL-8520/8521-3	1 Gigabit 1000BASE-T Copper RoHS Compliant GBIC
FCLF-8520-3	1000BASE-T RoHS Compliant Copper SFP
FCLF-8521-3	1000BASE-T, SFP
FCM-8519-1-T4	Up to 1.25 Gb/s bi-directional data links
FCM-8519-2-T4	1000Base-CX, Up to 1.25 Gb/s bi-directional data links
FCM-8520-3	1 Gigabit 1000BASE-T Copper GBIC



Agilestar Available Product List

FCM-8521-3	Up to 100 meters/328 feet, RJ-45 Connector
FCM-8521-3	1000BASE-T Copper GBIC
FCMJ-8520-3	Up to 100 meters/328 feet, RJ-45 Connector
FCMJ-8520-3	1000BASE-T Copper SFP
FCMJ-8521-3	1000BASE-T Copper SFP
FTL-1319-3D	10km RoHS Compliant Long-Wavelength GBIC
FTL-1319-3D-2.5	10km RoHS Compliant Long-Wavelength GBIC
FTL-1419-3D	40km RoHS Compliant Long-Wavelength GBIC
FTL-1519-3D	80km RoHS Compliant Long-Wavelength GBIC
FTL-8519-3D	Short-Wavelength GBIC
FTL-8519-3D-2.5	2 Gigabit RoHS Compliant Short-Wavelength GBIC
FTLF1217P2xTL	Long-Wavelength SFP
FTLF1318P2xCL	1.25 Gb/s RoHS Compliant Long-Wavelength
FTLF1319F1xTL	2 Gigabit RoHS Compliant Long-Wavelength 2x5 Pin SFF
FTLF1319P1BTL	Up to 2.125Gb/s bi-directional data links, 1310nm, Duplex LC connector
FTLF1319P1xTL	2 Gigabit 10km RoHS Compliant Long-Wavelength SFP
FTLF1321P1xTL	OC-48 SR/STM I-16 RoHS Compliant Multirate SFP
FTLF1321S1xTL	OC-48 SR-1/STM S-16 RoHS Multirate 2x10 Pin SFF
FTLF1322F2xTR	OC-12 SR-1/STM I-4 or OC-12 IR-1/STM S-4.1 2x5 SFF Transceiver



Agilestar Available Product List

FTLF1322P1xTR	OC-12 IR-1/STM S-4.1 RoHS Compliant SFP
FTLF1322S2xTR	OC-12 SR-1/STM I-4 or OC-12 IR-1/STM S-4.1 2x10 SFF Transceiver
FTLF1323F2xTR	OC-3 SR-1/STM I-1 or OC-3 IR-1/STM S-1.1 2x5 SFF Transceiver
FTLF1323P1xTL	OC-3 LR-1/STM L-1.1, SFP
FTLF1323P1xTR	OC-3 IR-1/STM S-1.1, SFP
FTLF1323S2xTR	OC-3 SR-1/STM I-1 or OC-3 IR-1/STM S-1.1 2x10 SFF Transceiver
FTLF1324P2xTy	4 Gigabit RoHS Compliant Long-Wavelength SFP Transceiver
FTLF1419P1BCL	Up to 2.125Gb/s bi-directional data links, 1310nm, Duplex LC connector
FTLF1419P1xCL	2 Gigabit 40km RoHS Compliant Long-Wavelength SFP
FTLF1421P1xCL	OC-48 IR-1/STM S-16.1 RoHS Compliant Multirate SFP
FTLF1421P1xTL	OC-48 IR-1/STM S-16.1 RoHS Compliant Multirate SFP
FTLF1421S1xCL	OC-48 IR-1/STM S-16.1 RoHS Multirate 2x10 Pin SFF
FTLF1422P1xTL	OC-12 LR-1/STM L-4.1 RoHS Compliant SFP
FTLF1424P2xCR	4 Gigabit RoHS Compliant Long-Wavelength SFP Transceiver
FTLF1424P2xCV	4 Gigabit RoHS Compliant Long-Wavelength SFP
FTLF1424P2xTR	4 Gigabit RoHS Compliant Long-Wavelength SFP Transceiver
FTLF1519P1BCL	Up to 2.125Gb/s bi-directional data links, 1550nm
FTLF1519P1xCL	2 Gigabit 80km RoHS Compliant Long-Wavelength SFP
FTLF1519P1xNL	2 Gigabit 80km RoHS Compliant Extended Temperature Long-Wavelength SFP



Agilestar Available Product List

FTLF1521P1xCL	OC-48 IR-2/STM S-16.2 RoHS Compliant Multirate SFP
FTLF1522P1xTL	OC-12 LR-1/STM L-4.2 RoHS Compliant SFP
FTLF1523P1xTL	OC-3 LR-2/STM L-1.2 RoHS Compliant SFP
FTLF1621P2xCL	OC-48 LR-2/STM L-16.2 RoHS Compliant Pluggable SFP
FTLF1621P2xTL	OC-48 LR-2/STM L-16.2 RoHS Compliant Pluggable SFP
FTLF1621S1xCL	OC-48 LR-2/STM L-16.2 RoHS Multirate 2x10 Pin SFF
FTLF1721P2xCL	OC-48 LR-1/STM L-16.1 RoHS Compliant Pluggable SFP
FTLF1721P2xTL	OC-48 LR-1/STM L-16.1 RoHS Compliant Pluggable SFP
FTLF1721S1xCL	OC-48 LR-1/STM L-16.1 RoHS Multirate 2x10 Pin SFF
FTLF8519F2xCL	2 Gigabit RoHS Compliant Short-Wavelength 2x5 Pin SFF
FTLF8519F2xNL	2 Gigabit RoHS Compliant Short-Wavelength 2x5 Pin SFF
FTLF8519F2xTL	2 Gigabit RoHS Compliant Short-Wavelength 2x5 Pin SFF
FTLF8519P2xCL	Up to 2.125 Gb/s bi-directional data links, 850nm, Duplex LC connector
FTLF8519P2xNL	Up to 2.125 Gb/s bi-directional data links, 850nm, Duplex LC connector
FTLF8519P2xTL	Up to 2.125Gbs/bi-direction data links, 850nm
FTLF8524E2xNL	Up to 4.25 Gb/s bi-directional data links, 850 nm
FTLF8524E2xNV	Up to 4.25 Gb/s bi-directional data links, 850nm, Duplex LC connector
FTLF8524E2xNy	4 Gigabit RoHS Compliant Short-Wavelength 2x7 Pin SFF
FTLF8524P2xNy	4 Gigabit RoHS Compliant Short-Wavelength SFP



Agilestar Available Product List

FTLX1411D3	10 Gb/s 10 km XFP
FTLX1411M3	10 Gb/s 10km XFP
FTLX1441E2	10 Gigabit Ethernet: 10.3125 Gb/s, SC connector, single mode fiber
FTLX1611M3	10 Gb/s 40km XFP
FTLX1811M3	10 Gb/s 80km XFP
FTLX8511D3	Duplex LC connector, Maximum link length of 300m
FTR-1319-3D	1 Gigabit 10km Long-Wavelength GBIC
FTR-1419	Up to 1.25 Gb/s bi-directional data links, 1310nm
FTR-8519-3D	Up to 1.25 Gb/s bi-directional data links, 850nm
FTRJ1319F1xTL	2 Gigabit Long-Wavelength 2x5 Pin SFF
FTRJ1319P1xTL	2 Gigabit 10km Long-Wavelength SFP
FTRJ1321P1xTL	OC-48 SR/STM I-16 Multirate SFP
FTRJ1321S1xTL	OC-48 SR/STM I-16 Multirate 2x10 Pin SFF
FTRJ1322P1xTR	OC-12 IR-1/STM S-4.1 SFP
FTRJ1323P1xTL	OC-3 LR-1/STM L-1.1 SFP
FTRJ1323P1xTR	OC-3 IR-1/STM S-1.1 SFP
FTRJ1419P1xCL	2 Gigabit 40km Long-Wavelength SFP
FTRJ1421P1xCL	OC-48 IR-1/STM S-16.1 Multirate SFP
FTRJ1421P1xNL	OC-48 IR-1/STM S-16.1 Multirate SFP



Agilestar Available Product List

FTRJ1421S1xCL	OC-48 IR-1/STM S-16.1 Multirate 2x10 Pin SFF
FTRJ1422P1xTL	OC-12 LR-1/STM L-4.1 SFP
FTRJ1519P1xCL	2 Gigabit 80km Long-Wavelength SFP
FTRJ1519P1xNL	2 Gigabit 80km Extended Temperature Long-Wavelength SFP
FTRJ1521P1xCL	OC-48 IR-2/STM S-16.2 Multirate SFP
FTRJ1522P1xTL	OC-12 LR-2/STM L-4.2 SFP
FTRJ1523P1xTL	OC-3 LR-2/STM L-1.2 SFP
FTRJ1619P1xCL	2 Gigabit 110km Long-Wavelength SFP
FTRJ1621P1xCL	OC-48 LR-2/STM L-16.2 Multirate SFP
FTRJ1621S1xCL	OC-48 LR-2/STM L-16.2 Multirate 2x10 Pin SFF
FTRJ1721P1xCL	OC-48 LR-1/STM L-16.1 Multirate SFP
FTRJ1721S1xCL	OC-48 LR-1/STM L-16.1 Multirate 2x10 Pin SFF
FTRJ-8519-7D	850nm SX SFP, 550m over 50/125um multi-mode fiber
FTRJ-8519-7D-2.5	2GB GBIC 850nm
FTRJ8519F1KNL	2Gb/s 2x5 Pin - Single Wavelength SFF Transceiver
FTRJ8519P1BNL	1000Base-SX, Dual Rate 1G/2G Fiber Channel SFP 850nm
FTRJ8519P1BNLMC	2Gbps 850nm Short-wave Fiber Channel GBIC
FTRJ8519P1BNLMD	2Gbps 850nm Short-wave Fiber Channel GBIC
FTRJ8519P1xNL	Up to 2.125 Gb/s bi-directional data links, 850nm Duplex LC connector



Agilestar Available Product List

FTRJ8519U1xNL	2 Gigabit Short-Wavelength 2x6 Pin SFF, SX - 850nm - MM
FTRJ8524P2BNL	850nm, FC, 4.25 Gb/s multimode, SFP, LC connector, 550m
FTRJ8524P2BNV	Shortwavelength, 850nm, SFP
FTRX-1411M3	Multi-protocol 10 Gb/s 10km XFP
FTRX-1611-3	Multi-protocol 10Gb/s 40km XFP
FTRX-1811-3	Multi-protocol 10Gb/s 80km XFP
V23826-C18-C364	OC-3 LR-1/STM L-1.1 1x9
V23826-C18-C366	OC-3 IR-1/STM S-1.1 1x9
V23826-C18-C63	OC-3 IR-1/STM S-1.1 1x9
V23826-C18-C64	OC-3 LR-1/STM L-1.1 1x9
V23826-H18-C366	OC-12 IR-1/STM S-4.1 1x9
V23826-H18-C63	OC-12 IR-1/STM S-4.1 1x9
V23826-K15-Cxx	1 Gigabit Long-Wavelength 1x9
V23826-K305-C3xx	1 Gigabit Short-Wavelength 1x9
V23826-K305-Cxx	1 Gigabit Short-Wavelength 1x9
V23836-C18-R363	OC-3/SDH STM-1



Agilestar Available Product List

Fluke Networks

OPV-LX	Up to 10 Km/6.2 m, Duplex SC connector 1310 nm
OPV-SX	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
OPV-T	Up to 100 meters/328 feet, RJ-45 Connector

Force10

GP-SFP2-1F	100Base-FX Ethernet SFP optics module, LC connector
GP-SFP2-1S	SX Gigabit Ethernet SFP optics module, LC connector
GP-SFP2-1T	1000BaseT Gigabit Ethernet SFP module
GP-SFP2-1Y	LX Gigabit Ethernet SFP optics module, LC connector
GP-SFP2-1Z	ZX Gigabit Ethernet SFP optics module, LC connector
GP-SFP2-MTRJ-1S	SX Gigabit Ethernet SFP optics module, MTRJ connector
GP-XFP-1L	LR/LW 10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-1S	SR/SW 10 Gigabit Ethernet XFP optics module, LC connector
GP-SFP-OC48-1IR1	15 km reach typical on 9/125 μ m SMF
GP-XFP-1E	40 km reach typical on 9/125 μ m SMF
GP-XFP-1Z	80 km reach typical on 9/125 μ m SMF
GP-XFP-1CX4	10 Gigabit Ethernet XFP module, CX4 connector, 15 m reach typical on CX4 cable



Agilestar Available Product List

GP-XFP-W31	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W32	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W36	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W38	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W51	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W52	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W53	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W54	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W56	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W57	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W58	10 Gigabit Ethernet XFP optics module, LC connector
GP-XFP-W59	10 Gigabit Ethernet XFP optics module, LC connector

Foundry

10G-XFP-CX4	10GBase-CX4, XFP module, 15m, CX4 connector
10G-XFP-ER	1550nm serial pluggable XFP optic (LC) for up to 40km over SMF
10G-XFP-LR	1310nm serial pluggable XFP optic (LC) for up to 10km over SMF
10G-XFP-SR	850nm serial pluggable XFP optic (LC), target range 300m over MMF



Agilestar Available Product List

10G-XFP-ZR	1550nm serial pluggable XFP optic (LC) for up to 80km over SMF
10G-XFP-ZRD	IEEE Standards: 802.3ae, up to 80km
10G-XNPK-CX4	10GBase-CX4 10-GbE XENPAK copper transceiver; supports distance of 15m
10G-XNPK-ER	10 Gigabit Ethernet XENPAK Transceiver, 1550 nm, up to 40 km on single-mode fiber, SC connector
10G-XNPK-LR	10 Gigabit Ethernet XENPAK Transceiver, 1310 nm, up to 10 km on single-mode fiber, SC connector
10G-XNPK-LW	10GBase-LW 1310nm, XENPAK, (SC) for up to 10km over SMF OC-192 format
10G-XNPK-LX4	10GBase-LX4 WWDM four parallel signals, XENPAK, (SC) for up to 10km over SMF or 300m, MMF
10G-XNPK-SR	850nm serial XENPAK plug-in transceiver (SC), target range of 300m over MMF
10G-XNPK-ZR	10 Gigabit Ethernet XENPAK Transceiver, 1550 nm, up to 80 km on single-mode fiber, SC connector
CWDM100-1470	IEEE Standards: 802.3z, 1470nm, up to 100km
CWDM100-1490	IEEE Standards: 802.3z, 1490nm, up to 100km
CWDM100-1510	IEEE Standards: 802.3z, 1510nm, up to 100km
CWDM100-1530	IEEE Standards: 802.3z, 1530nm, up to 100km
CWDM100-1550	IEEE Standards: 802.3z, 1550nm, up to 100km
CWDM100-1570	IEEE Standards: 802.3z, 1570nm, up to 100km
CWDM100-1590	IEEE Standards: 802.3z, 1590nm, up to 100km
CWDM100-1610	IEEE Standards: 802.3z, 1610nm, up to 100km
E1G-LH	1000Base-LH A-series, GBIC optic, SMF, SC connect 70km
E1G-LX	1000Base-LX GBIC, MMF, SC Connector



Agilestar Available Product List

E1G-SX	1000Base-SX GBIC, MMF, SC Connector
E1MG-100BXD	100Base-BXD SFP optic SMF, 1490nm, LC connector.
E1MG-100BXU	100Base-BXU SFP optic SMF, 1310nm, LC connector
E1MG-100FX	100Base-FX SFP optic MMF, LC connector.
E1MG-100FX-IR	100BaseFX-IR SFP optic for SMF with LC connector
E1MG-100FX-LR	100BaseFX-LR SFP optic for SMF with LC connector
E1MG-BXD	1000Base-BXD SFP optic, SMF, 1490nm, LC connector.
E1MG-BXU	1000Base-BXU SFP optic, SMF, 1310nm, LC connector
E1MG-CWDM80-1470	80Km 1470nm LC connector
E1MG-CWDM80-1490	80Km 1490nm LC connector
E1MG-CWDM80-1510	80Km 1510nm LC connector
E1MG-CWDM80-1530	80Km 1530nm LC connector
E1MG-CWDM80-1550	80Km 1550nm LC connector
E1MG-CWDM80-1570	80Km 1570nm LC connector
E1MG-CWDM80-1590	80Km 1590nm LC connector
E1MG-CWDM80-1610	80Km 1610nm LC connector
E1MG-LHA	1000Base-LHA mini-GBIC optic, SMF, LC connector, 70km
E1MG-LHB	1000Base-LHB mini-GBIC optic, SMF, LC connector
E1MG-LX	1000Base-LX SFP



Agilestar Available Product List

E1MG-SX	1000Base-SX SFP optic, MMF, LC connector
E1MG-TX	1000BASE-TX Mini-GBIC Copper RJ-45 Connector
E1MTG-SX	1000Base-SX mini-GBIC optic, MMF, MTRJ connector
OC12-SFP-IR1	OC-12 (STM-4) SR-1/IR-1 pluggable SFP optic (LC connector), up to 15km
OC12-SFP-LR1	OC-12 (STM-4) LR-1 pluggable SFP optic (LC connector). Range up to 40km over SMF.
OC12-SFP-LR2	OC-12 (STM-4) LR-2 pluggable SFP optic (LC connector). Range up to 80km over SMF.
OC12-SFP-MM	OC-12 (STM-4) pluggable SFP optic (LC connector). Range up to 500m over MMF.
OC192-XFP-IR2	OC-192 (STM-64) IR-2 pluggable XFP optic (LC connector). Range up to 40km over SMF.
OC192-XFP-LR2	OC-192 (STM-64) LR-2 pluggable XFP optic (LC connector). Range up to 80km over SMF.
OC192-XFP-SR1	OC-192 (STM-64) SR-1 pluggable XFP optic (LC connector). Range up to 2km over SMF.
OC48-SFP-LR1	OC-48 (STM-16) LR-2 pluggable SFP optic (LC connector). Range up to 40km over SMF.
OC48-SFP-LR2	OC-48 (STM-16) LR-2 pluggable SFP optic (LC connector). Range up to 80km over SMF.
OC48-SFP-SR1	OC-48 (STM-16) SR-1 pluggable SFP optic (LC connector). Range up to 2km over SMF.
U1GC	1000Base-T (RJ45) copper



Agilestar Available Product List

HP

A6515A	1000Base-SX SFP
A6516A	1000Base-LX SFP
AH154A	2000 MHz*km MMF (OM3), up to 300m
J4858A	1000Base-SX SFP 850nm GBIC
J4858B	1000Base-SX SFP 550M
J4858C	1000Base-SX SFP
J4859A	1000Base-LX SFP 10Km 1310nm
J4859B	1000Base-LX SFP 10KM
J4859C	1000Base-LX/LC SFP
J4860A	1000Base-LH SFP 80KM
J4860B	1000Base-LH SFP 80KM
J4860C	Up to 80 km on singlemode fiber.
J8173A	10 Gigabit Ethernet XENPAK Transceiver, 1310 nm, up to 10 km on single-mode fiber, SC connector
J8175A	10GbE SR Optic
J8176A	10 Gigabit Ethernet XENPAK Transceiver, 1550 nm, up to 40 km on single-mode fiber, SC connector
J8177B	1000BASE-T SFP
J8436A	SC 10-GbE port (IEEE 802.3ae Type 10Gbase-SR)
J4131A	Gigabit SX Fiber Transceiver
J4132A	1000baseLX Long Wave GBIC, SC connector



Agilestar Available Product List

Huawei

02311203	SX/GBIC
02311204	LX/GBIC
02311415	T/GBIC
02311754	Singlemode 100BASE
02311755	Multimode, 100BASE
0231A085	T/SFP
0231A562	SX/SFP
0231A563	LX/SFP
0231A565	1000BASE-SX GBIC, Multi-Mode (850nm, 550m, SC)
0231A566	GBIC-GE-SM-(1310nm,10km,SC)
02312189	1000BASE-LH30 GBIC, Single Mode (1310nm, 30km, SC)
02312191	GBIC-GE-SM-(1550nm,70km,SC)

Juniper

NS-SYS-GBIC-MSX	SX SFP
NS-SYS-GBIC-MLX	LX SFP
RX-10KM-SFP	1000 Base-LH, up to 10km



Agilestar Available Product List

RX-550M-SFP	850nm, up to 550 meters
RX-70KM-SFP	1000 Base-ZX, up to 70km
SFP-1GE-LX	1000Base-LX 1 SFP, 1310nm, Up to 10km
SFP-1GE-SX	1000Base-SX 1, 850nm, up to 550 meters
SFP-1GE-TX	TX SFP
XFP-10G-S	Multimode, 850nm, up to 300 metes
XFP-10G-L-OC192-SR1	Single-mode, up to 10km
XFP-10G-E-OC192-IR2	Single-mode, up to 40km
XFP-10G-Z-OC192-LR2	Single-mode, up to 80km

Linksys

MGBLH1	Up to 40 Km/24.9 mi, Duplex LC connector 1310 nm
MGBSX1	Up to 550 meters/1804 feet, Duplex LC connector 850 nm
MGBT1	Up to 100 meters/328 feet, RJ-45 Connector
MFEFX1	1310nm wavelength for multi-mode fiber, duplex LC connector
MFELX1	1310nm, single-mode fiver, duplex LC connector



Agilestar Available Product List

Marconi

SU66AA	SFP S1.1, 155 Mbps, 1310nm, SM,DDM, 13dB, 15 km
SU66AB	SFP L1.1, 155 Mbps, 1310nm, SM, DDM, 28dB, 40 km
SU67AB	SFP L4.1, 622 Mbps, 1310nm, SM, 28dB, 40 km
SU68AA	SFP, S1/4/16.1, 100 Mbps - 2.7 Gbps, Multirate, 1310nm, SM, DDM, 10dB, 2km

McAfee

ITV-1KSG-NA-100A	1000Base-SX, 1Gbps, GBIC
ITV-1KTG-NA-100A	1000Base-TX GBIC
ITV-2KLG-NA-100A	1000Base-LX GBIC
ITV-2KSG-NA-100A	1000Base-SX SFP
ITV-2KTG-NA-100A	1000Base-TX SFP
ITV-2MLG-NA-100A	1000Base-LX SFP
ITV-2KLG-NA-100G	1000Base-LX GBIC
ITV-1KSG-NA-100G	1000Base-SX GBIC
ITV-1KTG-NA-100G	1000Base-TX GBIC
ITV-2MLG-NA-100G	1000Base-LX SFP
ITV-2KSG-NA-100G	1000Base-SX SFP
ITV-2KTG-NA-100G	1000Base-TX SFP



Agilestar Available Product List

MiLan Technology

MIL-GBIC-LX	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
MIL-GBIC-SX	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
MIL-SFP-LX	Up to 10 Km/6.2 mi, Duplex LC connector 1310 nm
MIL-SFP-SX	Up to 550 meters/1804 feet, Duplex LC connector 850 nm
TN-GB-MM5	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
TN-GB-SM5	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
TN-GB-SM512	Up to 120 Km/74.6 mi, Duplex SC connector 1550 nm
TN-GB-SM53	Up to 30 Km/18.6 mi, Duplex SC connector 1310 nm
TN-GB-SM55	Up to 50 Km/31 mi, Duplex SC connector 1550 nm
TN-GB-SM58	Up to 80 Km/49.7 mi, Duplex SC connector 1550 nm
TN-SFP-LX1	Up to 10 Km/6.2 mi, Duplex LC connector 1310 nm
TN-SFP-LX3	Up to 30 Km/18.6 mi, Duplex LC connector 1310 nm
TN-SFP-LX5	Up to 50 Km/31 mi, Duplex LC connector 1550 nm
TN-SFP-LX8	Up to 80 Km/49.7 mi, Duplex LC connector 1550 nm
TN-SFP-SX	Up to 550 meters/1804 feet, Duplex LC connector 850 nm



Agilestar Available Product List

NETGEAR

AGM721F	IEEE 802.3z 1000BASE-SX 850nm Works with both 62.5 µm and 50 µm Multimode cabling
AGM721T	1000BASE-T GBIC Module, RJ-45 Connector
AGM722F	1000BASE-LX connectivity over 10Km, 1310nm, Dual SC Connector
AGM731F	1000BASE-SX SFP, LC Connectors
AGM732F	1000BASE-LX SFP connectivity over 10Km
AGM733	1000BASE-ZX SFP 70Km
AXM751	10-Gigabit Ethernet connectivity to 300m distances, LC connector
AXM752	10Gbase-LR XFP Optics Module

Nortel Networks

AA1403001-ES	XFP- 10 Gigabit EN - 10GBase-LR
AA1403005-ES	XFP - 10 Gigabit EN - 10GBase-SR
AA1419001	1000Base-SX GBIC
AA1419002	1000Base-LX GBIC
AA1419003	1000Base-ZX 50KM GBIC
AA1419004	1000Base-ZX GBIC
AA1419013	1000Base-SX SFP GBIC



Agilestar Available Product List

AA1419014	1000Base SX SFP
AA1419015	1000Base-LX SFP GBIC
AA1419033	1.25Gb/s CWDM SFP 1470 nm Transceiver
AA1419034	1.25Gb/s CWDM SFP 1490 nm Transceiver
AA1419035	1.25Gb/s CWDM SFP 1510 nm Transceiver
AA1419036	1.25Gb/s CWDM SFP 1530 nm Transceiver
AA1419037	1.25Gb/s CWDM SFP 1550 nm Transceiver
AA1419037S	1000Base-ZX SFP
AA1419038	1.25Gb/s CWDM SFP 1570 nm Transceiver
AA1419039	1.25Gb/s CWDM SFP 1590 nm Transceiver
AA1419040	1.25Gb/s CWDM SFP 1610 nm Transceiver
AA1419042	1000BASE-TX
AA1419043	1000Base-TX SFP
AA1419015-E5	1000Base-LX SFP GBIC
AA1419014-E5	1000Base-SX, 550 Meter range 850nm



Agilestar Available Product List

Q-logic

PLRXPL-VC-SG3-4x	150m Max range over MMF * 4Gbps, 850nm
PLRXPL-VI-S24-22	850nm, 550m range, 2Gb SFP
PL-XKC-SC-S45-0C	82m max. range over MMF, 850nm, 10Gbps
PL-XPL-LC-L13-11	Up to 40 Km/24.9 mi, Duplex LC connector 1310 nm
PL-XXL-SC-S45-21	10Gbps XFP module, 850 nm, 82m max reach over MMF

Riverstone Networks

GIC-11	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
GIC-12	Up to 100 meters/328 feet, RJ-45 Connector
GIC-18	Up to 70 Km/43.5 mi, Duplex SC connector 1550 nm
GIC-19	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
GIC-CWDM-1470	Up to 40 Km/24.9 mi, Duplex LC connector 1470 nm
GIC-CWDM-1490	Up to 40 Km/24.9 mi, Duplex LC connector 1490 nm
GIC-CWDM-1510	Up to 40 Km/24.9 mi, Duplex LC connector 1510 nm
GIC-CWDM-1530	Up to 40 Km/24.9 mi, Duplex LC connector 1530 nm
GIC-CWDM-1550	Up to 40 Km/24.9 mi, Duplex LC connector 1550 nm
GIC-CWDM-1570	Up to 40 Km/24.9 mi, Duplex LC connector 1570 nm



Agilestar Available Product List

GIC-CWDM-1590	Up to 40 Km/24.9 mi, Duplex LC connector 1590 nm
GIC-CWDM-1610	Up to 40 Km/24.9 mi, Duplex LC connector 1610 nm
SFPGE-11	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
SFPGE-12	Up to 100 meters/328 feet, RJ-45 Connector
SFPGE-18	Up to 70 Km/43.5 mi, Duplex LC connector 1550 nm
SFPGE-19	Up to 10 Km/6.2 mi, Duplex LC connector 1310 nm

SMC

SMCBGSSCX1	1-Port MM 1000Base-SX 850nm GBIC
SMCBGLSCX1	1-Port SM 1000Base-LX 1310nm GBIC
SMCBGZSCX1	1000BASE-ZX GBIC transceiver with SC connector
SMCBGSLCX1	1000Base-SX LC SFP
SMCBGLLCX1	1000Base-LX LC SFP
SMCBGZLCX1	1000Base-ZX
SMC10GXEN-ER	10 Gigabit Ethernet XENPAK, 1550 nm, up to 40 km on single-mode fiber, SC connector
SMC10GXEN-LR	10 Gigabit Ethernet XENPAK, 1310 nm, up to 10 km on single-mode fiber, SC connector
SMC10GXEN-ZR	10 Gigabit Ethernet XENPAK, 1550 nm, up to 80 km on single-mode fiber, SC connector



Agilestar Available Product List

Transition Networks

TN-GLC-LH-SM	1000BASE-LX 1310nm single mode (LC) [10 km/6.2 miles]
TN-GLC-SX-MM	1000BASE-SX 850nm multimode (LC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]
TN-GLC-T	1000BASE-T (RJ-45) [100 m/328 ft.]
TN-GLC-ZX-SM	1000BASE-LX 1550nm single mode (LC) [80 km/49.7 miles]
TN-SFP-LX8-C27	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C29	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C31	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C33	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C35	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C37	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C39	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C41	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C43	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C45	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C47	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C49	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C51	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C53	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]



Agilestar Available Product List

TN-SFP-LX8-C55	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C57	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C59	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-LX8-C61	1000BASE-LX/Fibre Channel 1x (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C27	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C29	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C31	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C33	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C35	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C37	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C39	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C41	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C43	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C45	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C47	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C49	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C51	C-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C53	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C55	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]



Agilestar Available Product List

TN-SFP-OC12S-C49	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C51	C-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C53	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C55	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C57	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C59	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC12S-C61	OC-12/STM-4 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC3S8-C27	SFP 100BASE-FX/0C-3 (LC) single mode [80 km/49.7 mi.]
TN-SFP-OC48S-C29	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C31	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C33	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C37	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C39	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C41	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C43	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C45	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C47	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C49	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C51	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]



Agilestar Available Product List

TN-SFP-OC48S-C53	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C55	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C57	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C59	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC48S-C61	OC-48/STM-16/Fibre Channel 2x/1x/1000ASE-LX (LC) single mode [40 km/24.9 mi.]
TN-SFP-OC3M	100BASE-FX 1300nm multimode (LC) [2 km/1.2 miles]
TN-SFP-OC3S	100BASE-FX 1310nm single mode (LC) [20 km/12.4 miles]
TN-SFP-OC12M	1300nm multimode (LC) [1 km / 0.6 miles]
TN-SFP-OC12S	1310nm single mode (LC) [20 km/12.4 miles]
TN-SFP-LX1	1000BASE-LX 1310nm single mode (LC) [10 km/6.2 miles]
TN-SFP-SXD	1000BASE-SX 850nm multimode (LC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]
TN-SFP-ELX1	1000BASE-LX 1310nm single mode (LC) [10 km/6.2 miles]
TN-SFP-ESX5	1000BASE-SX 1300nm Extended multimode (50/125µm fiber only) (LC) [up to 2 km/1.2 miles]
TN-SFP-ESX6	1000BASE-SX 1310nm Extended multimode (62.5/125µm fiber only) (LC) [up to 2 km/1.2miles]
TN-SFP-LX12	1000BASE-LX 1550nm single mode (LC) [120 km/74.6 miles]
TN-SFP-LX16	1000BASE-LX 1550nm single mode (LC) [160 km / 99.4 miles]
TN-SFP-LX3	1000BASE-LX 1310nm single mode (LC) [30 km/18.6 miles]
TN-SFP-LX5	1000BASE-LX 1550nm single mode (LC) [50 km/31.1 miles]
TN-SFP-LX8	1000BASE-LX 1550nm single mode (LC) [80 km/49.7 miles]



Agilestar Available Product List

TN-SFP-SX	1000BASE-SX 850nm multimode (LC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]
TN-SFP-FC2XM	1000BASE-SX 850nm multimode (LC) [62.5/125µm: 150 m/492 ft.; 50/125µm: 300 m/984 ft.]
TN-SFP-FC2XS15	1000BASE-LX 1310nm single mode (LC) [15 km/9.3 miles]
TN-SFP-FC2XS2	1000BASE-LX 1310nm single mode (LC) [2 km/1.2 miles]
TN-SFP-FC2XS40	1000BASE-LX 1310nm single mode (LC) [40 km/24.9 miles]
TEG-GBS10	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
TEG-GBS50	Up to 50 Km/31 mi, Duplex SC connector 1550 nm
TEG-GBSX	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
TEG-MGBS10	Up to 10 Km/6.2 mi, Duplex LC connector 1310 nm
TEG-MGBSX	Up to 550 meters/1804 feet, Duplex LC connector 850 nm

Zyxel

GBIC-SX	Up to 550 meters/1804 feet, Duplex SC connector 850 nm
GBIC-LX-10	Up to 10 Km/6.2 mi, Duplex SC connector 1310 nm
GBIC-ZX-80	Up to 80 Km/49.7 mi, Duplex SC connector 1550 nm
SFP-SX	Up to 550 meters/1804 feet, Duplex LC connector 850 nm
SFP-LX-10	Up to 10 Km/6.2 mi, Duplex LC connector 1310 nm
SFP-ZX-80	Up to 80 Km/49.7 mi, Duplex LC connector 1550 nm